
coveralls-python

Release 2.2.0

Jul 20, 2021

Contents

1	Getting Started	3
1.1	Usage	3
1.2	Configuration	3
1.3	VCS Configuration	5
1.4	Usage Within Tox	6
1.5	Multiple Language Support	8
1.6	Tips for .coveragerc	9
1.7	Nosetests	9
1.8	Troubleshooting	10
2	About	11
2.1	Authors	11
3	Administration	13
3.1	Release	13

[coveralls.io](#) is a service for publishing your coverage stats online. This package provides seamless integration with [coverage.py](#) (and thus `py.test`, `nosetests`, etc...) in your Python projects.

CHAPTER 1

Getting Started

1.1 Usage

This package works with any CI environment. Special handling has been included for some CI service providers, but `coveralls-python` can run anywhere.

To get started with `coveralls-python`, make sure to [add your repo](#) on the `coveralls.io` website. If you will be using `coveralls-python` on TravisCI, you're done here – otherwise, take note of the “repo token” in the `coveralls.io` dashboard.

After that, it's as simple as installing `coveralls-python`, collecting coverage results, and sending them to `coveralls.io`.

For example:

```
pip install coveralls
coverage run --source=my_package setup.py test
COVERALLS_REPO_TOKEN=tGSdG5Qcd2dcQa2oQN9G1JkL50wFZPv1j coveralls
```

`coveralls-python` can be configured with several environment variables, as seen above. See [Configuration](#) for more details.

1.2 Configuration

`coveralls-python` often works without any outside configuration by examining the environment it is being run in. Special handling has been added for AppVeyor, BuildKite, CircleCI, Github Actions, Jenkins, and TravisCI to make `coveralls-python` as close to “plug and play” as possible.

Most often, you will simply need to run `coveralls-python` with no additional options after you have run your coverage suite:

```
coveralls
```

If you have placed your `.coveragerc` in a non-standard location, you can run:

```
coveralls --rcfile=/path/to/coveragerc
```

If you would like to override the service name (auto-discovered on most CI systems, set to `coveralls-python` otherwise):

```
coveralls --service=travis-pro
# or, via env var:
COVERALLS_SERVICE_NAME=travis-pro coveralls
```

If you are interested in merging the coverage results between multiple languages/projects, see our [multi-language](#) documentation.

If `coveralls-python` is being run on TravisCI, it will automatically set the token for communication with `coveralls.io`. Otherwise, you should set the environment variable `COVERALLS_REPO_TOKEN`, which can be found on the dashboard for your project in `coveralls.io`:

```
COVERALLS_REPO_TOKEN=mV2Jajb8y3c6AF1cVNagHO20fiZNkXPVy coveralls
```

If you are running multiple jobs in parallel and want `coveralls.io` to merge those results, you should set `COVERALLS_PARALLEL` to `true` in your environment:

```
COVERALLS_PARALLEL=true coveralls
```

Later on, you can use `coveralls --finish` to let the Coveralls service know you have completed all your parallel runs:

```
coveralls --finish
```

If you are using a non-public `coveralls.io` instance (for example: self-hosted Coveralls Enterprise), you can set `COVERALLS_HOST` to the base URL of that instance:

```
COVERALLS_HOST="https://coveralls.aperture.com" coveralls
```

In that case, you may also be interested in disabling SSL verification:

```
COVERALLS_SKIP_SSL_VERIFY='1' coveralls
```

If you are using named jobs, you can set:

```
COVERALLS_FLAG_NAME="insert-name-here"
```

You can also set any of these values in a `.coveralls.yml` file in the root of your project repository. If you are planning to use this method, please ensure you install `coveralls[yaml]` instead of just the base `coveralls` package.

Sample `.coveralls.yml` file:

```
service_name: travis-pro
repo_token: mV2Jajb8y3c6AF1cVNagHO20fiZNkXPVy
parallel: true
coveralls_host: https://coveralls.aperture.com
```

1.2.1 Github Actions Gotcha

Coveralls natively supports jobs running on Github Actions. You can directly pass the default-provided secret `GITHUB_TOKEN`:


```
env:
  GITHUB_TOKEN: ${ secrets.GITHUB_TOKEN }
run: |
  coveralls
```

For parallel builds, you have to add a final step to let coveralls know the parallel build is finished. You also have to set `COVERALLS_FLAG_NAME` to something unique to the specific step, so re-runs of the same job don't keep piling up builds:

```
jobs:
  test:
    strategy:
      matrix:
        test-name:
          - test1
          - test2
    runs-on: ubuntu-latest
    steps:
      - name: Checkout
        uses: actions/checkout@v2
      - name: Test
        run: ./run_tests.sh ${ matrix.test-name }
      - name: Upload Coverage
        run: coveralls
      env:
        GITHUB_TOKEN: ${ secrets.GITHUB_TOKEN }
        COVERALLS_FLAG_NAME: ${ matrix.test-name }
        COVERALLS_PARALLEL: true
    coveralls:
      name: Finish Coveralls
      needs: test
      runs-on: ubuntu-latest
      container: python:3-slim
      steps:
        - name: Finished
          run: |
            pip3 install --upgrade coveralls
            coveralls --finish
      env:
        GITHUB_TOKEN: ${ secrets.GITHUB_TOKEN }
```

1.3 VCS Configuration

coveralls-python supports `git` by default and will run the necessary `git` commands to collect the required information without any intervention.

As describe in [the coveralls docs](#), you may also configure these values by setting environment variables. These will be used in the fallback case, eg. if `git` is not available or your project is not a `git` repository.

As described in the linked documentation, you can also use this method to support non- `git` projects:

```
GIT_ID=$(hg tip --template '{node}\n')
GIT_AUTHOR_NAME=$(hg tip --template '{author|person}\n')
GIT_AUTHOR_EMAIL=$(hg tip --template '{author|email}\n')
GIT_COMMITTER_NAME=$(hg tip --template '{author|person}\n')
```

(continues on next page)

(continued from previous page)

```
GIT_COMMITTER_EMAIL=$(hg tip --template '{author|email}\n')
GIT_MESSAGE=$(hg tip --template '{desc}\n')
GIT_BRANCH=$(hg branch)
```

1.4 Usage Within Tox

Running coveralls-python from within a `tox` environment (v2.0 and above) requires an additional step; since coveralls-python relies on environment variables to function, you'll need to configure tox to capture those variables using the `passenv` configuration option in your `tox.ini`.

For example, on TravisCI:

```
[tox]
envlist = py34,py35,py36,py37,py38

[testenv]
passenv = TRAVIS TRAVIS_*
deps =
    coveralls
commands =
    coverage run --source=yourpackagename setup.py test
    coveralls
```

If you are configuring coveralls-python with environment variables, you should also pass those. See [Configuration](#) for more details.

1.4.1 AppVeyor

```
passenv = APPVEYOR APPVEYOR_*
```

All variables:

- APPVEYOR
- APPVEYOR_BUILD_ID
- APPVEYOR_REPO_BRANCH
- APPVEYOR_PULL_REQUEST_NUMBER

1.4.2 BuildKite

```
passenv = BUILDKITE BUILDKITE_*
```

All variables:

- BUILDKITE
- BUILDKITE_JOB_ID
- BUILDKITE_BRANCH

1.4.3 CircleCI

```
passenv = CIRCLECI CIRCLE_* CI_PULL_REQUEST
```

All variables:

- CIRCLECI
- CIRCLE_BUILD_NUM
- CIRCLE_BRANCH
- CI_PULL_REQUEST

1.4.4 Github Actions

```
passenv = GITHUB_*
```

All variables:

- GITHUB_ACTIONS
- GITHUB_REF
- GITHUB_SHA
- GITHUB_HEAD_REF
- GITHUB_REPOSITORY
- GITHUB_RUN_ID
- GITHUB_TOKEN

1.4.5 Jenkins

```
passenv = JENKINS_HOME BUILD_NUMBER GIT_BRANCH CI_PULL_REQUEST
```

All variables:

- JENKINS_HOME
- BUILD_NUMBER
- GIT_BRANCH
- CI_PULL_REQUEST

1.4.6 TravisCI

```
passenv = TRAVIS TRAVIS_*
```

All variables:

- TRAVIS
- TRAVIS_JOB_ID
- TRAVIS_BRANCH

- TRAVIS_PULL_REQUEST

1.4.7 SemaphoreCI

Classic

```
passenv = SEMAPHORE SEMAPHORE_EXECUTABLE_UUID SEMAPHORE_JOB_UUID SEMAPHORE_BRANCH_ID_  
↪BRANCH_NAME
```

All variables:

- SEMAPHORE
- SEMAPHORE_EXECUTABLE_UUID
- SEMAPHORE_JOB_UUID
- SEMAPHORE_BRANCH_ID
- BRANCH_NAME

2.0

```
passenv = SEMAPHORE SEMAPHORE_WORKFLOW_ID SEMAPHORE_JOB_ID SEMAPHORE_GIT_PR_NUMBER_  
↪BRANCH_NAME
```

All variables:

- SEMAPHORE
- SEMAPHORE_WORKFLOW_ID
- SEMAPHORE_JOB_ID
- SEMAPHORE_GIT_PR_NUMBER
- BRANCH_NAME

1.5 Multiple Language Support

Tracking multi-language repo coverage requires an extra setup of merging coverage data for submission.

To send coveralls.io merged data, you must use each of your coverage reporting tools in sequence, then merge the JSON data in the last step.

For example, to submit coverage for a project using both `mocha` and `py.test`, you could use the [coveralls-lcov](#) library and run:

```
# generate mocha coverage data  
mocha --reporter mocha-lcov-reporter */tests/static/js/* > coverage.info  
  
# convert data with coveralls-lcov  
coveralls-lcov -v -n coverage.info > coverage.json  
  
# merge mocha coverage with python coverage and send to coveralls  
coveralls --merge=coverage.json
```

If you want to use this library to create a JSON blob for usage elsewhere, you can run:

```
coveralls --output=coverage.json
```

1.5.1 Technical Details

The JSON file to be merged must be of “coveralls-style” and contain thus a `source_files` key. The [Coveralls API](#) has more information.

1.6 Tips for .coveragerc

This section is a list of most common options for `coverage.py`, which collects all the coverage information. Coveralls is populated from this data, so it’s good to know [how to configure coverage.py](#).

To limit the [report to only your packages](#), specify their names (or directories):

```
[run]
source = pkgname,your_otherpackage
```

To exclude parts of your source from coverage, for example migrations folders:

```
[report]
omit = */migrations/*
```

Some lines are never executed in your tests, but that can be ok. To mark those lines use inline comments right in your source code:

```
if debug:    # pragma: no cover
    msg = "blah blah"
    log_message(msg, a)
```

Sometimes it can be tedious to mark them in code, so you can [specify whole lines in .coveragerc](#):

```
[report]
exclude_lines =
    pragma: no cover
    def __repr__
    raise AssertionError
    raise NotImplementedError
    if __name__ == '__main__':
```

Finally, if you’re using non-default configuration file, you can specify it in the coveralls command:

```
$ coveralls --rcfile=<file>
```

1.7 Nostests

[Nostests](#) provide a plugin for coverage measurement of your code:

```
$ nostests --with-coverage --cover-package=<your_package_name>
```

However, `nosetests` gathers coverage for all executed code, ignoring the `source config` option in `.coveragerc`.

This will make `coveralls` report unnecessary files, which can be inconvenient. To work around this issue, you can use the `omit` option in your `.coveragerc` to specify a list of filename patterns to leave out of reporting.

For example:

```
[report]
omit =
    */venv/*
    */my_project/ignorable_file.py
    */test_script.py
```

Note, that native `coverage.py` and `py.test` are not affected by this problem and do not require this workaround.

1.8 Troubleshooting

If you are having difficulties submitting your coverage to `coveralls.io`, debug mode may help you figure out the problem:

```
$ coveralls debug
```

Debug mode doesn't send anything, it just outputs prepared json and reported files list to stdout.

We also have an [issue tracker](#) on GitHub.

2.1 Authors

Coveralls is written and maintained by various contributors, without whom none of this would be possible. For a full list, see [GitHub](#).

Special thanks goes to the original maintainer, Ilya Baryshev.

3.1 Release

This project is released on PyPI as [coveralls](#).

To cut a new release, ensure the latest master passes all tests. Then, create a release commit:

1. Update the `CHANGELOG.md` with the new version (`clog -C CHANGELOG.md -F --setversion x.y.z`).
2. Bump the version number in `version.py`.
3. Commit and push (`git commit -am 'chore(release): bump version' && git push`).
4. Tag that commit with the version number (`git tag x.y.z`).
5. Push the new tag to GitHub.
6. Create a new [GitHub release](#).

To create a new PyPI release, do the following:

1. Build the sources (`python setup.py sdist bdist_wheel`).
2. Register & upload the sources. (`twine upload $PWD/dist/*`).

Conda should automatically create a PR on their [coveralls-feedstock](#) shortly with the updated version – if something goes wrong, the manual process would be to:

1. Fork [coveralls-feedstock](#).
2. Update `recipe/meta.yaml` with the new version number and [sha](#).
3. Create a PR.
4. Comment on your own PR with: “@conda-forge-admin, please rerender”.
5. Merge along with the automated commit from Conda.